



PCI - ADC

**RoHS Compliant
PCI Multi-function
Analogue/Digital Interface Card**

User Guide

Document Reference
Document Issue Level

Product User Guide
1.2

Table of Contents

| | |
|--|----|
| Introduction | 4 |
| Copyright | 4 |
| Limitations of Liability | 4 |
| Trademarks | 4 |
| About The Manual | 5 |
| Overview | 6 |
| Chapter 1 | 7 |
| Technical Specification | 7 |
| Analogue Inputs | 7 |
| Analogue Output | 8 |
| Digital Input/Output | 8 |
| Counter/Timers | 8 |
| Interrupts | 9 |
| Power | 9 |
| Physical | 9 |
| Chapter 2 | 10 |
| Installing the PCI-ADC | 10 |
| Chapter 3 | 11 |
| Connection Details | 11 |
| Suitable Interface Signal Types | 12 |
| Analogue Inputs | 12 |
| Analogue Outputs | 12 |
| Digital I/O | 13 |
| Counter / Timers | 13 |
| Chapter 4 | 14 |
| Address Map | 14 |
| Analogue Inputs | 15 |
| FIFO Memory | 16 |
| Conversion Control | 16 |
| Input Mode Selection and Calibration | 18 |
| Auto-Calibration | 19 |
| Analogue Input Status | 19 |
| To Start A Conversion | 20 |
| Limitations to Use | 20 |
| Analogue Outputs | 21 |
| Digital I/O | 23 |
| i8255 PIO | 23 |
| i8254 Counter / Timer | 24 |
| Counter / Timer Modes | 25 |
| Counter Control | 26 |
| Interrupt Selection | 27 |
| Chapter 5 | 29 |
| Electromagnetic Compatibility (EMC) | 29 |
| EMC Specification | 30 |
| Chapter 6 | 31 |
| PCI-ADC Input / Output Circuitry | 31 |

[Amendment History](#)..... 32
[Contact Details](#)..... 32

Introduction

Copyright

All rights reserved. No part of this publication may be reproduced, stored in any retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopied, recorded or otherwise, without the prior permission, in writing, from the publisher. For permission in the UK please contact Blue Chip Technology.

Information offered in this manual is believed to be correct at the time of printing. Blue Chip Technology accepts no responsibility for any inaccuracies. The information contained herein is subject to change without notice. There are no express or implied licences granted herein to any intellectual property rights of Blue Chip Technology Ltd.

Limitations of Liability

In no event shall Blue Chip Technology be held liable for any loss, expenses or damages of any kind whatsoever, whether direct, indirect, incidental or consequential, arising from the design or use of this product or the support materials supplied with this product. If this product proves to be defective, Blue Chip Technology is only obliged to replace or refund the purchase price at Blue Chip Technology's discretion according to their Terms and Conditions of Sale.

Trademarks

All trademarks and registered names acknowledged.

IBM, PC, AT and PS/2 are trademarks of International Business Machines Corporation (IBM).

AMI is a registered trademark of American Megatrends Inc.

MSDOS and WINDOWS are registered trademarks of the Microsoft Corporation.

About The Manual

This manual is organised into six chapters. Each chapter covers a different aspect of using the PCI-ADC. In order to get the best results from the product, the user is urged to read all chapters, paying particular note to Chapter 2 which deals with the initial installation of the card.

- Overview** Provides a brief introduction to the card
- Chapter 1** Presents the card's technical specification. Use this section to determine the card's suitability for a particular application
- Chapter 2** Explains how to install the card in your computer.
- Chapter 3** Details the connections to and from the card
- Chapter 4** Gives details of the card's address mapping and internal register details allowing the user to write custom software to control the card.
- Chapter 5** Electromagnetic Compatibility
- Chapter 6** Timer Examples

This manual describes the complete hardware functionality of the PCI-ADC board. All the functions may not necessarily be supported by the current release of the driver.

Overview

The PCI-ADC is a RoHS-compliant PCI-compatible half-card which provides analogue and digital input/outputs and counter/timers.

Eight differential or sixteen single ended analogue inputs are available with 12-bit resolution and programmable gain to allow full scale input ranges of between $\pm 5\text{mV}$ and ± 5 volts. The maximum sample rate of these is 230 Ksamples/s. A FIFO input buffer is available such that 1024 analogue samples may be taken before processor intervention is required.

Four bipolar analogue outputs are provided to 12 bits resolution. Each may be individually configured as voltage or current outputs with full scale range of ± 10 volts or $\pm 20\text{mA}$.

There are 24 TTL-compatible programmable digital input/outputs available from the board. If the controlling devices are used in handshake mode, the handshake lines are available as interrupt sources.

There are also three programmable counter/timers, the outputs of which may be used to generate interrupts, to initiate analogue input conversion, analogue output sample update, or digital I/O. A 4 MHz crystal oscillator is available on board to allow the counter/timers to act as accurate timebases.

All analogue and digital Input / Output lines are available at an industry standard 50 way D-type plug connector.

One PCI interrupt line may be selectively driven by the eight interrupt sources on the board, the interrupting source being readily identified by the board.

The PCI-ADC is intended to be installed with the minimum of user interaction. The board is configured by the system BIOS and by the application drivers and no on-board links are required to select functionality.

Chapter 1

Technical Specification

Analogue Inputs

Number Of Input Channels 16 Single ended or 8 differential

Range: ± 5 Volts max

Resolution: 12 bits

Gain Settings: 1, 10, 100 or 1000, software selectable

Gain accuracy:

| Gain | With Auto Calibration | Without Auto Calibration |
|-------|-----------------------|--------------------------|
| x1 | ± 0.08% | ± 0.10% |
| x10 | ± 0.12% | ± 0.17% |
| x100 | ± 0.15% | ± 0.32% |
| x1000 | ± 0.22% | ± 0.32% |

Input offset accuracy:

| Gain | Without Auto Calibration |
|-------|--------------------------|
| x1 | ± 0.10 % |
| x10 | ± 0.10 % |
| x100 | ± 0.10 % |
| x1000 | ± 0.12 % |

Maximum sample rate: 230Ks/s burst, 4.3 µs conversion time

Input settling time Gain = 1 9 µs all typical to 0.1 %
 Gain = 10 11 µs
 Gain = 100 80 µs
 Gain = 1000 600 µs

Data Buffer: FIFO 16 bits wide x 1024 samples, with channel number identification on each sample

Analogue Output

| | |
|--------------------|---|
| Number of outputs | 4 |
| Output Resolution: | 12 bits |
| Format: | Constant Voltage or Constant Current Individually software selectable |
| Output levels: | Voltage mode = ± 10 volts Current mode = ± 20 mA |
| Drive capability: | Voltage mode = ± 20 mA (full scale into 500R min) Current mode = ± 12 volts (full scale into 600R max) |
| Accuracy: | Voltage mode = ± 0.35 % Current mode = ± 0.50 % |
| Output slew rate: | 0.05 V/ μ s |

Digital Input/Output

| | |
|------------------------|---|
| Number of I/O channels | 24 arranged as 3 x 8 I/O bits |
| Signal Levels: | 5 Volt TTL Logic Levels |
| Outputs: | |
| Logic low Level: | 0 V (min) – 0.4 V (max) @ $I_{OL} = 2.5$ mA |
| Logic High Level: | 3.5 V (min) – 5 V (max) @ $I_{OH} = -400$ μ A |
| Drive current: | 2.5 mA (Logic Low) $V_{out} = 0.4$ Volts -400 μ A (Logic High) $V_{out} = 3.5$ Volts |
| Input Loading: | ± 10 μ A |
| Termination Resistors: | 10K Resistor packs are fitted to each I/O port to pull the lines to + 5 Volts. Optionally they may pull the lines down to 0 Volts |

Counter/Timers

| | |
|----------------------|--|
| Counter/timers | 3 x 16 bit. Counter/timers may be cascaded |
| On Board Oscillator: | Frequency 4 Mhz Stability ± 100 ppm 0 – 70 °C |

Interrupts

| | |
|--------------------|--|
| Interrupt Sources: | Register selectable to 3 Counter/timer outputs 2 PIO handshake control lines ADC busy and FIFO Not Empty/Half Full |
| Levels Supported: | All PCI interrupts |
| Address overhead | 26 I/O addresses in 3 PCI address spaces |

Power

| | |
|--------------------------|--|
| Board Power Requirement: | 5W This board requires both 5V and 3.3V power lines but can operate with Vio of either 3.3V or 5V |
|--------------------------|--|

Physical

| | |
|---------------------|--|
| Temperature: | |
| Non Operating: | -20 °C to 70 °C |
| Operating: | 0 °C to 70 °C |
| MTBF: | 94,000 hours (Bellcore method) |
| Signal Connections: | 1 x 50 way male “D-type” plug |
| Dimensions | 165 (L) x 100 (H) board only 180 (L) x 122 (H) x 22 (W) including bracket |

Chapter 2

Installing the PCI-ADC

The card is installed by removing the cover of the host computer and inserting the card into a free PCI slot. The rear panel of the card should then be secured to the rear panel of the host computer with the screw supplied with the computer.

When the computer is switched on, the BIOS will detect the presence of the card and will allocate it with a base address and an interrupt. These parameters may then be used to configure application software to access the card.

If the card is to be directly accessed by a user's application, it will be necessary for the application to determine where the BIOS has located the card.

One way of determining the Base address of the card can be found by using the "bc_probe" utility which is supplied on the Blue Chip Support CD, or alternatively can be downloaded from the Blue Chip website

This program must be run under DOS or a Full Screen session under Windows. It will not operate in a DOS Window.

The BC_probe utility will return addresses which look like the following

```
bar1, IO, 0xCC00
bar2, IO, 0xC000
bar3, IO, 0xC400
bar4, IO, 0xC800
```

The Bar 1 address just sets up address space in the memory to be used by the card while the Bar 2,3 and 4 addresses are the base address for the Registers for the card.

These can be used as follows in conjunction with the Address map on page x of this user manual.

```
Base 2+0 PIO Port A In/Out Register R/W >> 0xC000
Base 2+1 PIO Port B In/Out Register R/W >> 0xC001
...
Base 2+E Analogue input Status Register R >> 0xC00E
Base 2+F Not Used >> 0xC00F
...
Base 3+0 Analogue Input Sample R >> 0xC400
Base 4+0 Analogue Output Sample, Channel 0 R/W >> 0xC800
...
Base 4+6 Analogue Output Sample, channel 3 R/W >> 0xC806
```


Chapter 3

Connection Details

The following table refers to the 50 way D-type plug on the rear of the card

| PIN | USAGE | PIN | USAGE | PIN | USAGE |
|-----|--|-----|--|-----|---|
| 1 | Analogue input 0 (+ve) | 18 | Analogue input 3 (+ve) | 34 | Analogue input 5(+ve) |
| 2 | Analogue input 1 (+ve) | 19 | Analogue input 4 (+ve) | 35 | Analogue input 6(+ve) |
| 3 | Analogue input 2 (+ve) | 20 | Analogue input 11 (+ve) or analogue input 3 (-ve) | 36 | Analogue input 7 (+ve) |
| 4 | Analogue input 8 (+ve) or analogue input 0 (-ve) | 21 | Analogue input 12 (+ve) or analogue input 4 (-ve) | 37 | Analogue input 13 (+ve) or analogue input 5 (-ve) |
| 5 | Analogue input 9 (+ve) or analogue input 1 (-ve) | 22 | Analogue Ground | 38 | Analogue input 14 (+ve) or analogue input 6 (-ve) |
| 6 | Analogue input 10 (+ve) or analogue input 2 (-ve) | 23 | Analogue Output 2 (sig) | 39 | Analogue input 15 (+ve) or analogue input 7 (-ve) |
| 7 | Analogue Output 1 (sig) | 24 | Analogue Output 0 (sig) | 40 | Analogue Output 3 (sig) |
| 8 | Analogue Ground | 25 | Analogue Ground | 41 | Analogue Ground |
| 9 | Digital Ground | 26 | PIO port B, b7 (PB7) | 42 | Digital Ground |
| 10 | PIO port A, b7 (PA7) | 27 | PIO port B, b6 (PB6) | 43 | PIO port C, b7 (PC7) |
| 11 | PIO port A, b6 (PA6) | 28 | PIO port B, b5 (PB5) | 44 | PIO port C, b6 (PC6) |
| 12 | PIO port A, b5 (PA5) | 29 | PIO port B, b4 (PB4) | 45 | PIO port C, b5 (PC5) |
| 13 | PIO port A, b4 (PA4) | 30 | PIO port B, b3 (PB3) | 46 | PIO port C, b4 (PC4) |
| 14 | PIO port A, b3 (PA3) | 31 | PIO port B, b2 (PB2) | 47 | PIO port C, b3 (PC3) and/or Interrupt Source or Counter input |
| 15 | PIO port A, b2 (PA2) | 32 | PIO port B, b1 (PB1) | 48 | PIO port C, b2 (PC2) |
| 16 | PIO port A, b1 (PA1) | 33 | PIO port B, b0 (PB0) | 49 | PIO port C, b1 (PC1) |
| 17 | PIO port A, b0 (PA0) | | | 50 | PIO port C, b0 (PC0) and/or Interrupt Source or Counter input |

The following diagram shows how the pins on the male D-type connector are numbered



If you are having difficulty in obtaining suitable cables to attach to the PCI-ADC, or you wish to make your own, the Farnell part numbers for suitable connectors are 1084683 and 4155312.

Suitable Interface Signal Types

Analogue Inputs

The analogue inputs have a full scale input voltage, dependant on input gain, of between ± 5 mV and ± 5 volts.

The inputs may be configured as differential (eight inputs) in which case the input voltage must be applied between the +ve and -ve input connections, or as single ended (sixteen inputs) in which case the input voltage must be applied between the +ve input and analogue ground. In either case, the maximum voltage that may be applied between any input connection and analogue ground is ± 17 volts. Voltages in excess of these will cause damage.

Analogue Outputs

The four analogue outputs may be individually configured to provide full scale outputs of ± 10 volts or ± 20 mA constant current.

In voltage output mode, the output driver is capable of supplying up to ± 20 mA so that full scale output is available into a minimum load of 500 ohms.

In current output mode, the output driver is capable of supplying up to ± 12 volts, therefore the maximum load that may be driven to full scale is 600 ohms. The current is provided by the on-board supply.

Voltage or current outputs are referenced to analogue 0 volts, for which there are several pins available on the I/O connector.

Digital I/O

The input and output signals for the PCI-ADC parallel ports and counter/timers are strictly digital TTL levels with voltage limits of zero volts for a logic low and +5 volts for a logic high. Voltages outside these limits may cause damage to the card. The output current drive capability makes the card suitable for connection to TTL logic type circuits. The PCI-ADC is compatible with most types of TTL logic. Because the lines are TTL it is recommended that input signal lines do not exceed 2 metres in length. Operation at longer lengths may cause drive level problems.

Driving conventional relay coils is not recommended without external protection even if the coil current required is less than the PCI-ADC can provide. Relay coils are inductive and as such can generate large flyback voltages when de-energised which will destroy the device outputs.

Counter / Timers

Input signals to two of the counter / timers may be taken from the I/O connector by sacrificing two bits of one of the I/O ports and configuring them as inputs. The counter timer inputs are then driven from these I/O lines through 270 Ω (ohm) series protection resistors. The counter / timers are permanently enabled.

Chapter 4

This chapter provides brief details of the cards internal registers.

Address Map

The address map for the PCI-ADC occupies a 26-byte block of addresses.

All the following addresses are relative to the addresses contained in PCI Base Address Registers 2, 3 and 4 (BAR2, BAR3 & BAR4) as indicated. These base address registers are located at the following addresses in the PCI configuration space:-

Base 2 = 18_h

Base 3 = 1C_h

Base 4 = 20_h

| ADDRESS (hex) | FUNCTION | ACCESS WIDTH | READ/ WRITE |
|------------------|---|-----------------|----------------|
| Base 2 + 0 | PIO Port A Input/Output Register (Channel 0 to 7) | byte | R/W |
| Base 2 + 1 | PIO Port B Input/Output Register (Channel 8 to 15) | byte | R/W |
| Base 2 + 2 | PIO Port C Input/Output Register (Channel 16 to 23) | byte | R/W |
| Base 2 + 3 | PIO Control Register | byte | W |
| Base 2 + 4 | Counter/timer 0 Count Register | byte | R/W |
| Base 2 + 5 | Counter/timer 1 Count Register | byte | R/W |
| Base 2 + 6 | Counter/timer 2 Count Register | byte | R/W |
| Base 2 + 7 | Counter/timer Control Register | byte | W |
| Base 2 + 8 | Counter Control Register | byte | R/W |
| Base 2 + 9 | Interrupt Enable Register | byte | R/W |
| Base 2 + A | Interrupt Status Register | byte | R |
| Base 2 + B | Analogue Output Control Register | byte | R/W |
| Base 2 + C | Analogue conversion control register | byte | R/W |
| Base 2 + D | Analogue input select register | byte | R/W |
| Base 2 + E | Analogue input status register | byte | R |
| Base 2 + F | Not used | byte | |
| Base 3 + 0 | Analogue input sample | word | R |
| Base 4 + 0 | Analogue output sample, Channel 0 | word | R/W |
| Base 4 + 2 | Analogue output sample, Channel 1 | word | R/W |
| Base 4 + 4 | Analogue output sample, Channel 2 | word | R/W |
| Base 4 + 6 | Analogue output sample, Channel 3 | word | R/W |

Analogue Inputs

Each analogue sample is represented on the PCI data bus as a 16 bit word, the lower 12 bits of which represent the analogue value, and the upper four bits represent the channel number.

The analogue sample is represented by a twelve bit two's complement number,

+5 volts (+ve full scale) gives a code of $x7FF_h$
 zero volts input produces a code of $x000_h$ and
 -5 volts (-ve full scale) gives a code of $x800_h$

The basic analogue to digital converter has a full scale input of ± 5 volts. The on-board programmable gain amplifier allows for lesser voltages at the input pins. Note that there is no indication of an over-voltage input condition. The value returned will simply be full scale. The user must ensure that the inputs remain within the full scale input range selected.

The upper 4-bits of the input word represents the channel number. In single ended mode this number is between 0 and 15 and in differential mode it is between 0 and 7.

The format of the analogue input sample is shown below:-

| Analogue Input Sample (Base 3 + 0) Read only | |
|---|--|
| Bit no. | Function |
| b15..b12 | Converted channel number (0 - 15 for single ended inputs) (0 - 7 for differential inputs) |
| b11..b0 | Two's complement analogue input sample |

For example, Looking at this in binary we have Bits 13 to 16 represent the analogue input channel

16th _____ 1st bit
 0000 0111 1111 1111 +5 volts on analogue input 0 or $07FF_h$
 1000 0111 1111 1111 +5 volts on analogue input 8 or $87FF_h$
 0000 1000 0000 0000 -5 volts on analogue input 0 or 0800_h
 1000 1000 0000 0000 -5 volts on analogue input 8 or 8800_h

FIFO Memory

The Analogue Input Samples are stored in a 16-bit wide, 1024-word deep First-In, First-Out (FIFO) memory.

FIFO memory is well suited to transferring data between two asynchronous systems i.e. between the regular, clocked analogue samples, and irregular, software dependent processor intervention.

If this FIFO memory is not required, it may be ignored, as its actions are transparent to the user. For example, if a single channel is to be converted, then the conversion is initiated and when complete, indicated by either the 'busy' flag being negated, the 'FIFO empty' flag being negated, or from interrupts, the sample may then be read directly from the analogue input sample port.

If, however, a series of samples are required before any processing begins, or the software overhead of reading the card is so great that it must be performed infrequently, then the FIFO may be used to store the samples as they are taken, with processor intervention only being required when the FIFO is full. The samples may then be read.

Conversion may be initiated under software control, or by a hardware trigger which may be generated either from counter/ timer 0, 1, or 2, or from an external trigger input.

The ADC busy and FIFO flags are accessible in the Analogue Input Status Register (see below).

Conversion Control

Conversion may be of a single channel, or of a number of channels, scanned sequentially. It may be initiated under software control or by a hardware trigger from a number of sources. Single channel conversion is normally initiated under software control. Conversion of a number of channels would normally be under hardware control, although software control is feasible.

Two registers control the ADC section: the Input Select Register and the Conversion Control Register. Both have a number of functions. The Input Select Register controls the input channel, the gain, and the selection of single, differential or calibration inputs. The Conversion Control Register selects the conversion trigger source, whether a single or multiple channels are to be converted, and whether conversion is single or continuous.

Interrupts may be generated on the following conditions (see Interrupt Status Register):-

- ADC not busy (i.e. conversion complete)
- FIFO half full
- FIFO not empty

The Analogue Conversion Control Register at Base 2 + 0C_h is used to specify the type of conversion to be performed. The functions of the bits within this register are described below:-

| Analogue Conversion Control Register (Base 2 + 0C_h) Read/write. | |
|---|--|
| Bit no. | Function |
| b4..b2 | Conversion trigger:- 000 = No trigger 001 = Software trigger 010 = PC0 input port line 011 = PC3 input port line 100 = Counter/timer 0 output (see Note) 101 = Counter/timer 1 output (see Note) 110 = Counter/timer 2 output (see Note) 111 = Not used. |
| b1 | Conversion Trigger mode:- 0 = edge triggered (single conversion) 1 = level triggered (multiple conversions) |
| b0 | Input Channel Selection:- 0 = Manual selection of single channel 1 = Automatic selection & increment |

Note: Triggers from the counter / timer outputs occur on the high-to-low transition of the output. Most counter / timer modes operate in this manner.

If manual selection of the input channel is set, then a conversion of the channel specified in the Analogue Input Select Register, will be performed whenever a trigger condition occurs.

The trigger condition may be selected from the list shown in the table. For all trigger modes, it is necessary to select whether the trigger is edge or level triggered.

If edge trigger is selected, then a new conversion will not occur until the trigger (from whatever source) has been negated and re-asserted i.e. the conversion is initiated on the low to high transition of the trigger source. This ensures that only one conversion takes place.

If level trigger is selected, then conversions will be performed for as long as the trigger source is present.

If a software trigger is selected (by setting bits 4..2, to 001) in combination with edge triggering, then the selected channel will be converted immediately. Bits 4 to 2 will then be automatically cleared to 000 ready for the next conversion. It is possible to determine when the conversion has been completed either by reading the Analogue Input Status Register (as with all other trigger modes) or by reading bit 2 of the Conversion Control Register to see when it is cleared to zero.

If software trigger is selected in combination with level triggering, then a new conversion will be initiated immediately the previous conversion has been completed, and continues until the software trigger is negated. There are limitations to the use of level triggering (see later).

Input Mode Selection and Calibration

The Analogue Input Select Register is used to select either the single channel for conversion, or the range of channels to be converted.

In the automatic mode, the first conversion will be of the channel selected in the Analogue Input Select Register, as the highest numbered channel. The first conversion may contain spurious information and it is recommended that it be discarded. The next conversion will be of channel zero, and every subsequent conversion will be to the next numeric channel up to and including the channel number specified in the Analogue Input Select Register. The channel number will then return to zero for the next conversion and the channel scan will be repeated.

The input mode of the analogue samples may be selected to be single ended (up to 16 channels) or differential (up to 8 channels). If the number of channels to be scanned in differential mode is greater than eight, then only eight channels (0-7) will be scanned.

A zero volt or a positive voltage close to full scale may also be selected as inputs to provide a calibration facility.

The input gain for the chosen channel when selecting manually, or for all channels, when selecting automatically, may be set to 1, 10, 100 or 1000. At higher gains or when extreme accuracy is required, it is recommended that auto-calibration be performed (see “Auto-Calibration” below) to remove inherent offset or gain errors.

| Analogue Input Select Register (Base 2 + 0D_h) Read/write | |
|--|--|
| Bit no. | Function |
| b7..b4 | Channel number (Manual selection) -OR- Number of channels to be scanned 0 - 15 for single ended inputs (Automatic select & increment) 0 - 7 for differential inputs |
| b3..b2 | Input gain:- 00 = 1 01 = 10 10 = 100 11 = 1000 |
| b1..b0 | Input mode:- 00 = Single ended inputs 01 = Differential inputs 10 = Calibration zero volts input 11 = Calibration + 80% full scale input |

The accuracy that may be achieved with and without auto-calibration, is listed in the Specifications section.

Auto-Calibration

If auto-calibration is required, select the gain that will be used and zero input, and then take ten samples over a period of between 1 millisecond and 1 second. Take the mean of these samples. Then select a gain of 1 and “PCI” -positive calibration input (this is actually 80% of full scale to avoid limiting) and take ten more samples over a similar period. Take the mean of these samples. The calibrated outputs may then be calculated with the following equation:-

$$\text{Calibrated sample} = [\text{raw sample} - \text{mean zero sample}] * [1 - (\{ \text{PCI}/2047 \} - 0.8)]$$

The reason for taking ten samples and using the mean of these in the calculation is to minimise the effects of noise on the measurements, as any noise on a single calibration sample will otherwise effect all future measurements.

The major gain errors are associated with the A-D converter and not with the input gain stages. The major offset errors are associated with the input gain stages and not with the A-D converter. This is why the zero samples (used to determine offsets) are measured at the required gain, whilst the full scale samples (used to determine gain errors) are measured at minimum gain.

Note that when reading either the calibration zero or positive input, the channel number stamped on the returned value is not meaningful.

Analogue Input Status

To determine the operating status of the analogue input section, the analogue input status register is available at Base + 0E_h. This register allows access to the status of the A-D converter ‘busy’ flag, the ‘FIFO full’ flag, the ‘FIFO half full’ flag, and the ‘FIFO empty’ flag.

| Analogue Input Status Register (Base 2 + 0E_h) Read only | |
|---|--|
| Bit no. | Function |
| b7..b3 | Not used (set to zero) |
| b3 | FIFO ‘Full’ Flag:- 0 = Not Full. 1 = Full. |
| b2 | FIFO ‘Half Full’ Flag:- 0 = Not Half Full. 1 = Half Full. |
| b1 | FIFO ‘Empty’ Flag:- 0 = Not Empty. 1 = Empty. |
| b0 | A-D Converter ‘Busy’ flag:- 0 = Conversion complete 1 = Conversion in progress |

Once the FIFO is full, conversions may continue to take place but will be discarded. The FIFO prevents the storage of further values whilst the ‘Full’ flag is asserted. Reading one value from the FIFO will negate the Full flag and allow one more conversion to be stored, which will not be sequential with the previously stored values. To avoid this situation occurring, it is recommended that the ‘Half Full’ flag be used to initiate FIFO reads.

Reading an empty FIFO will return a value 0FFFF_h.

To Start A Conversion

If necessary, clear the Analogue Conversion Control Register (ACCR) by writing 00 to the address Base 2 + 0C_h.

Set the Analogue Input Select Register (at address Base 2 + 0D_h), to the required channel, gain and input mode.

Allow the settling time (if necessary).

Write to the ACCR to select the trigger source, edge or level trigger, and single or multiple channels for conversion.

Poll the Analogue Input Status Register (at Base 2 + 0E_h) for FIFO Not Empty, or Conversion Complete. Alternatively, interrupts may be used (see section “Interrupt Selection”).

Limitations to Use

Level triggering of the conversion is provided to allow the rapid monitoring of a single input channel. It gives a high sample rate (the “burst rate”) for a limited period, usually until the FIFO is full. Conversions will continue when the FIFO is full, but the results will not be stored until the FIFO is at least partially empty. Subsequent conversions will then be stored until the FIFO is again full.

Level triggering provides conversions as fast as the ADC can service them with no allowance made for the switching and settling times of the multiplexers or the programmable gain amplifier. Attempting to convert multiple channels using level control will result in erroneous results because the differing inputs will not have sufficient time to settle.

During any conversion, allowance must be made for the switching and settling times of the multiplexers and the programmable gain amplifier. The times vary with amplifier gain. The table below gives typical settling times for the available gain settings.

| Analogue Input Settling Times | |
|-------------------------------|-------------------------------|
| Gain | Typical Settling Time to 0.1% |
| 1 | 9 μs |
| 10 | 11 μs |
| 100 | 80 μs |
| 1000 | 600 μs |

In most edge triggered conditions particularly those from external events, the delay will be inherent in waiting for the trigger condition to occur. Allowance will be required when using software triggering. This is achieved by delaying writing to the Analogue Conversion Control Register after writing to the Analogue Input Selection Register.

Analogue Outputs

Each analogue output is written as one 12 bit word to one of four word addresses, each address representing the analogue output channel to be updated (see Address Map section).

| Analogue Output Channel 0 (Base 4 + 0) Read/write | |
|--|-------------------------------|
| Bit no. | Function |
| b15..b12 | Not used |
| b11..b0 | Output sample (offset binary) |

| Analogue Output Channel 1 (Base 4 + 2) Read/write | |
|--|-------------------------------|
| Bit no. | Function |
| b15..b12 | Not used |
| b11..b0 | Output sample (offset binary) |

| Analogue Output Channel 2 (Base 4 + 4) Read/write | |
|--|-------------------------------|
| Bit no. | Function |
| b15..b12 | Not used |
| b11..b0 | Output sample (offset binary) |

| Analogue Output Channel 3 (Base 4 + 6) Read/write | |
|--|-------------------------------|
| Bit no. | Function |
| b15..b12 | Not used |
| b11..b0 | Output sample (offset binary) |

Whenever a new word is written, the relevant analogue output will be updated immediately.

The values written to the four analogue output sample addresses may be read back unaltered from the same addresses.

Each output channel may be configured to provide either a constant voltage source (up to ± 10 volts) or a constant current source (up to ± 20 mA) by writing to four bits in the Analogue Output Control Register at Base + 0B_h. Note the minimum and maximum loads stated in the section “Suitable Interface Signal Types”.

| Analogue Output Control Register (Base 2 + 0B_h) Read/write | |
|--|---|
| Bit no. | Function |
| b7..b4 | Not used |
| b3 | Channel 3 output format :- 0 = Constant voltage 1 = Constant current |
| b2 | Channel 2 output format :- 0 = Constant voltage 1 = Constant current |
| b1 | Channel 1 output format :- 0 = Constant voltage 1 = Constant current |
| b0 | Channel 0 output format :- 0 = Constant voltage 1 = Constant current |

The output voltage is an offset binary version of the input data, i.e. the output voltage will be

-10 volts for an input code of 0000_h, or in binary 0000 0000 0000 0000

zero volts for an input code of 07FF_h, or in binary 0000 0111 1111 1111

+10 volts for an input code of 0FFF_h. Or in binary 0000 1111 1111 1111

For example if we want to set -5V or +5V

for -5V output write 03FF h (0000 0011 1111 1111)

for 5V output write 0BFF h (0000 1011 1111 1111)

When set to current output mode the corresponding outputs are

-20 mA (0000_h),

0 mA (07FF_h),

+20 mA (0FFF_h).

On power up or card reset, the output voltages will automatically reset to zero volts (0 mA).

Digital I/O

An Intel i8255 PIO device and an Intel i8254 Counter/timer provide the board's digital input/output facilities.

The i8255 PIO and i8254 Counter/timer ICs are complex devices. For full details on how to program these devices, refer to the manufacturer's data sheets. Presented here is a brief summary of the main features of each.

i8255 PIO

The PIO chip can operate in one of three modes.

The first (Mode 0) provides for simple inputs and outputs for three, 8-bit ports. Data is written to or read from a specified port (A, B, or C) without the use of handshaking. The following table gives a summary of the most commonly used control words which must be written to the control port to configure the i8255 I/O ports in Mode 0.

| CONTROL WORD (hex) | CONTROL WORD (decimal) | SET ALL of PORT A as | SET ALL of PORT B as | SET HIGH 4 BITS of C as | SET LOW 4 BITS of C as |
|---------------------------|-------------------------------|-----------------------------|-----------------------------|--------------------------------|-------------------------------|
| 80 | 128 | Output | Output | Output | Output |
| 81 | 129 | Output | Output | Output | Input |
| 82 | 130 | Output | Input | Output | Output |
| 83 | 131 | Output | Input | Output | Input |
| 88 | 136 | Output | Output | Input | Output |
| 89 | 137 | Output | Output | Input | Input |
| 8A | 138 | Output | Input | Input | Output |
| 8B | 139 | Output | Input | Input | Input |
| 90 | 144 | Input | Output | Output | Output |
| 91 | 145 | Input | Output | Output | Input |
| 92 | 146 | Input | Input | Output | Output |
| 93 | 147 | Input | Input | Output | Input |
| 98 | 152 | Input | Output | Input | Output |
| 99 | 153 | Input | Output | Input | Input |
| 9A | 154 | Input | Input | Input | Output |
| 9B | 155 | Input | Input | Input | Input |

A typical sequence of events to use mode 0 would be :

- Decide on the mix of input/outputs required and write the appropriate code to the Control Register (see Address map).
- Read from the selected input port or write to the selected output port.

Mode 1 enables the transfer of data to or from a specified 8 bit port (A or B) in conjunction with strobes or handshaking signals on port C. These handshaking signals may be used to drive interrupt channels if required.

In Mode 2, data is transferred via one bi-directional 8 bit port (A) with handshaking (port C). These handshaking signals may be used to drive interrupt channels if required. In this mode port B is not available.

Refer to the i8255 data sheet for full details of the settings and use of Modes 1 and 2.

i8254 Counter / Timer

The counter/timer circuit contains three independent 16-bit counters which may be operated in a variety of modes. There are five basic modes of operation with each mode providing a different output signal. Presented here is a brief summary of some of the modes possible by programming the counter / timer's internal registers. Refer to the i8254 data sheet for full details of the settings and use of the counter / timer.

All three counter/timers may be operated independently, with separate clocks. The clock inputs of two counter/timers may also be made accessible on the back panel connector. See the Counter Control Register table for the available clock inputs.

Counter 0, Counter 1 and Counter 2 may also be connected in series. Counter 0 output linked to Counter 1 clock input and/or Counter 1 output linked to Counter 2 clock input, to allow the generation of very long delay periods.

The outputs from any counter/timer may be configured to generate an interrupt.

Counter / Timer Modes

The following modes of operation exist by programming the control register within the i8254.

Mode 0

When programmed, the output pin will go LOW. When the counter decrements from the value loaded into the count registers to zero, the output pin will go HIGH. It will remain high until the count is re-programmed into the count registers.

Mode 1

When the count registers are programmed the output pin will be HIGH. When a LOW going signal is applied to the gate input, the count starts and the output will fall LOW, returning HIGH at the end of the count. The gate lines are permanently enabled on the PCI-ADC.

Mode 2

This mode operates as a frequency divider. When programmed the output pin is HIGH. When the count decrements to a value of 1 the output pin will go LOW for ONE clock cycle only and then return HIGH. This cycle repeats continuously without the need to re-program the count value.

Mode 3

When programmed the output pin will toggle each time the count register decrements to its base level from the value programmed into it. If the count value loaded is an odd number then the counter will reach zero before the output pin toggles. This mode therefore acts as a frequency divider with an approximate 1:1 mark-space ratio.

Mode 4

This mode is similar to mode 2 but the output pin pulses when the count reaches zero instead of 1.

Mode 5

This mode is similar to mode 4 except that the count sequence is triggered by the gate line. The gate lines are permanently enabled on the PCI-ADC.

Note that Counter / Timer interrupts are generated on the falling edge of the timer outputs. This may limit the modes in which the timers can be operated as interrupt sources.

Counter Control

The input lines of the Counter / Timer may be accessed on the rear panel connector by sacrificing some of the digital I/O lines.

The Counter / Timers are permanently enabled. Counter / Timer 0 is permanently clocked by the on board 4 MHz oscillator. Counter / Timers 1 and 2 may be clocked from several sources as shown in the table.

The clock inputs of the i8254 Counter / Timer are selected using the Counter Control Register at Base 2 + 8, as shown below:-

| Counter Control Register (Base 2 + 8) Read/write | |
|---|--|
| Bit no. | Function |
| b7..b4 | Not used |
| b3..b2 | Counter / Timer 2 clock source:- 00 = 4 MHz on board clock 01 = PC0 port line 10 = Counter 1 output 11 = PC3 port line |
| b1..b0 | Counter / Timer 1 clock source:- 00 = 4 MHz on board clock 01 = PC0 port line 10 = Counter 0 output 11 = PC3 port line |

To use either port line PC0 or PC3 as an input to the Counter / Timer the i8255 PIO port line must be configured as an input to avoid contention.

Interrupt Selection

The use of interrupts is not essential but greatly enhances the functionality of the card. A total of seven sources of interrupt are available from the PIO device, the counter/timers and the Analogue input stage. These interrupts are summarised below:-

- INT0 (PC0) is available when the PIO is operating in mode 1. It provides a Read Request interrupt for input operations or a Write Request interrupt for output operations on PIO port A (PA[0:7]).
- INT1 (PC3) is available when the PIO is operating in mode 1. It provides a Read Request interrupt for input operations or a Write Request interrupt for output operations on PIO port B (PB[0:7]).
- INT2 is the output from Counter/timer 0, and may be used to generate interrupts on timed events.
- INT3 is the output from Counter/timer 1, and may be used to generate interrupts on timed events.
- INT4 is the output from Counter/timer 2, and may be used to generate interrupts on timed events.
- INT5 is created from the A-D converter 'Busy' flag and may be used to indicate when a Analogue input conversion has been completed. (Interrupt on 'Busy' being negated).
- INT6 is created from the FIFO memory 'Empty' flag and may be used to indicate when the FIFO memory is no longer empty i.e. a sample has been taken.
- INT7 is created from the FIFO memory 'Half Full' flag and may be used to indicate when the FIFO memory is half full. This is provided for the cases where the interrupt service routine cannot be guaranteed to read the FIFO before the next sample is stored.

Note: Counter / Timer interrupts are generated on the falling edge of the timer outputs. This may limit the modes in which the timers can be operated as interrupt sources.

To enable an interrupt or a combination of interrupts to be generated, an enable word must be written to the Interrupt Enable Register at Base $2 + 9_h$, as shown below:-

| Interrupt Enable Register (Base $2 + 9_h$) Read/write | | |
|---|---------------------------------------|-------------------------|
| Bit no. | Function | |
| b7 | INT7 control - FIFO Half Full | 1 = Enable, 0 = Disable |
| b6 | INT6 control - FIFO Not Empty | 1 = Enable, 0 = Disable |
| b5 | INT5 control - ADC Not Busy | 1 = Enable, 0 = Disable |
| b4 | INT4 control - Counter/timer 2 output | 1 = Enable, 0 = Disable |
| b3 | INT3 control - Counter/timer 1 output | 1 = Enable, 0 = Disable |
| b2 | INT2 control - Counter/timer 0 output | 1 = Enable, 0 = Disable |
| b1 | INT1 control - PC3 interrupt control | 1 = Enable, 0 = Disable |
| b0 | INT0 control - PC0 interrupt control | 1 = Enable, 0 = Disable |

When an interrupt is recognised by the processor, the source or sources of interrupt may be determined by reading the Interrupt status register at Base $2 + 0A_h$, as shown below:-

| Interrupt Status Register (Base $2 + 0A_h$) Read only | |
|---|--------------------------------------|
| Bit no. | Function |
| b7 | INT7 status - FIFO Half Full |
| b6 | INT6 status - FIFO Not Empty |
| b5 | INT5 status - ADC Not Busy |
| b4 | INT4 status - Counter/timer 2 output |
| b3 | INT3 status - Counter/timer 1 output |
| b2 | INT2 status - Counter/timer 0 output |
| b1 | INT1 status - PC3 interrupt status |
| b0 | INT0 status - PC0 interrupt status |

Having serviced an interrupt, the source should be cleared by momentarily clearing the relevant bit in the interrupt enable register.

Chapter 5

Electromagnetic Compatibility (EMC)

This product meets the requirements of the European EMC Directive (89/336/EEC) and is eligible to bear the CE mark.

It has been assessed operating in our standard industrial PC. However, because the board can be installed in a variety of computers, certain conditions have to be applied to ensure that the compatibility is maintained. It meets the requirements of EN55022:1995 for a Class A product subject to those conditions.

- The board must be installed in a computer system which provides screening suitable for an industrial environment.
- Any recommendations made by the computer system manufacturer/supplier must be complied with regarding earthing and the installation of boards.
- The board must be installed with the backplate securely screwed to the chassis of the computer to ensure good metal-to-metal (i.e. earth) contact.
- Most EMC problems are caused by the external cabling to boards. It is imperative that any external cabling to the board is totally screened, and that the screen of the cable connects to the metal end bracket of the board and hence to earth. It is recommended that round screened cables with a braided wire screen are used in preference to those with a foil screen and drain wire. Use metal connector shells which connect around the full circumference of the screen; they are far superior to those which earth the screen by a simple “pig-tail”. Standard ribbon cable will not be adequate unless it is contained wholly within the cabinetry housing the industrial PC.
- Ensure that the screen of the external cable is bonded to a good RF earth at the remote end of the cable.
- Cables which connect externally to boards at TTL levels should not exceed two metres in length.

Failure to observe these recommendations may invalidate the EMC compliance.

Warning

This is a Class A Product. In a domestic environment this product may cause radio-interference in which case the user may be required to take adequate measures.

EMC Specification


A suitably compliant industrial PC fitted with this card meets the requirements of the European Union Electromagnetic Compatibility Directive 89/336/EEC and its amending Directives, and specifically the following standards:

| | |
|-----------|-----------------------|
| Emissions | EN 55022:1998 Class A |
| Immunity | EN 55024:1998 |

Chapter 6

PCI-ADC Input / Output Circuitry

PCI-ADC Input / Output Circuitry



The i8255 port is shown as an input, it may also be programmed as an output.

Amendment History

| Issue Level | Issue Date | Author | Amendment Details |
|-------------|------------|--------|---|
| 1.0 | 12/01/2007 | Tmck | First Release |
| 1.1 | 07/02/2007 | Tmck | Added MTBF figure and some grammar changes, corrected EMC details |
| 1.2 | 21/03/2007 | TMCK | Corrected reversed diagram and updated Autocal equation |
| | | | |

Contact Details

Blue Chip Technology Ltd.
Chowley Oak
Tattenhall
Chester
CH3 9EX
U.K.

Telephone: +44 (0)1829 772000

Facsimile: +44 (0)1829 772001

www.bluechiptechnology.co.uk

Plasma PC Sales

[*PlasmaPC@bluechiptechnology.co.uk*](mailto:PlasmaPC@bluechiptechnology.co.uk)

Single Board Computer Sales

[*singleboardcomputer@bluechiptechnology.co.uk*](mailto:singleboardcomputer@bluechiptechnology.co.uk)

Rack mount PC Sales

[*rackmountpc@bluechiptechnology.co.uk*](mailto:rackmountpc@bluechiptechnology.co.uk)

Data and IO Sales

[*DataIO@bluechiptechnology.co.uk*](mailto:DataIO@bluechiptechnology.co.uk)

Technical Support

[*Support@bluechiptechnology.co.uk*](mailto:Support@bluechiptechnology.co.uk)